

| RANGE                 | CODE        | MODEL  | FUNCTION                 |
|-----------------------|-------------|--------|--------------------------|
| Refrigerated Cabinets | MACROOOO18I | ART7BT | Refrigerated cabinets MI |

#### ITEM

**Upright cabinet MI 1 door 700 litres, freezer -10-20°C**



| RANGE                 | CODE        | MODEL  | FUNCTION                 |
|-----------------------|-------------|--------|--------------------------|
| Refrigerated Cabinets | MACROOOO181 | ART7BT | Refrigerated cabinets MI |

#### ITEM

**Upright cabinet MI 1 door 700 litres, freezer -10-20°C**



#### TECHNICAL SPECIFICATIONS

|                           |                                     |
|---------------------------|-------------------------------------|
| RANGE:                    | -10-20°C                            |
| WIDTH (mm):               | 770                                 |
| DEPTH (mm):               | 820                                 |
| HEIGHT (mm):              | 2025                                |
| WEIGHT (Kg):              | 140                                 |
| VOLUME (m <sup>3</sup> ): | 1.45                                |
| EL. POWER (kW):           | 0.58                                |
| VOLTAGE:                  | VAC230                              |
| FREQUENCY (Hz):           | 50Hz                                |
| INTERNAL DIM. (mm):       | 600x682,5x1440(h)                   |
| EXTERNAL MATERIAL:        | 304                                 |
| INTERNAL MATERIAL:        | 304                                 |
| GROSS CAPACITY (L):       | 600                                 |
| OPERATING MODE:           | Ventilated                          |
| DOORS:                    | 1 Door                              |
| STANDARD EQUIPMENT:       | N° 3 Plastic-Coated Grid<br>530x650 |
| DEFROST TYPE:             | Automatic by Hot Gas                |
| REFRIGERANT POWER:        | 600                                 |
| ENERGY CLASS: C           | GAS TYPE: R290/3                    |
| REFRIGERANT QUANTITY (g): | 120                                 |
| NOISE LEVEL:              | 58                                  |
| ENERGY PER YEAR:          | 1892                                |
| CLIMATE CLASS:            | 5 40°C-40%                          |

#### DESCRIPTION


Stainless steel AISI 304 single-shell structure; scotch-brite external satin finish; 85 mm high density HFC free polyurethane foam insulation (40kg/m<sup>3</sup>) for the body and 65mm thickness for the door; stainless steel adjustable feet h120/150; cell with rounded internal edges for a perfect cleaning and hygiene; hot gas defrosting and condensation water evaporation; GN 2/1 rislan grids; stainless steel removable racks for grids, no tools needed; lateral air flow; self-closing doors from 100°; patented and tropicalized monobloc refrigerating unit (climatic class 5); lock as standard; standard power supply 230V/50Hz monophase. Equipped with 3 grids GN 2/1. Refrigerant gas R290. Energy Efficiency class C (1892 kWh/year)



| RANGE                 | CODE        | MODEL  | FUNCTION                 |
|-----------------------|-------------|--------|--------------------------|
| Refrigerated Cabinets | MACROOOO18I | ART7BT | Refrigerated cabinets M1 |

#### ITEM

**Upright cabinet M1 1 door 700 litres, freezer -10-20°C**



#### INSTALLATION SPECIFICATIONS

(E) Electrical Connection:

VAC230 50Hz

Type of electrical plug:

with Schuko plug and cable

