

RANGE	CODE	MODEL	FUNCTION
MI - 70	MAMC0000540	WI74EG	Induction Ranges

ITEM

Single wok induction top on open stand



The data reported in this document is to be considered nonbinding. The company reserves the right to make changes at any time, without prior notice. LAST UPDATE: **29/4/2024** 



MI - 70	MAMC0000540	WI74EG	Induction Ranges
RANGE	CODE	MODEL	FUNCTION

ITEM

## Single wok induction top on open stand



#### **TECHNICAL SPECIFICATIONS** WIDTH (mm): 400 DEPTH (mm): 750 HEIGHT (mm): 900 WEIGHT (Kg): 42 VOLUME (m<sup>3</sup>): 0.4 EL. POWER (kW): 5 VOLTAGE: VAC400-3 INTERNAL BASE UNIT DIM. (mm): 360x400(h)x700 mm COOKING ZONES N°: 1 lxØ300mm COOKING ZONES DIM. (mm): IP GRADE: IPX5

### DESCRIPTION

Freestanding Wok electric induction boiling top in glass ceramic hermetically sealed to the top, on open cabinet base, pan detection system that activates heating when cooking receptacle is present. Appliance constructed in AISI 3O4 stainless steel. Ergonomic knobs shaped to prevent water infiltration. Equipped with I cooking zone with 5 kW output. Control knob for selection of 6 power settings. Indicator lights indicating activation of heating and correct appliance operation. Integral power-box, main safety sensor. IPX5 water-resistant rating. Appliance equipped with stainless steel adjustable feet.




The data reported in this document is to be considered nonbinding. The company reserves the right to make changes at any time, without prior notice.



MI - 70	MAMC0000540	WI74EG	Induction Ranges
RANGE	CODE	MODEL	FUNCTION

ITEM

# Single wok induction top on open stand



#### INSTALLATION SPECIFICATIONS

(E) Electrical Connection:

VAC400-3 50/60Hz



The data reported in this document is to be considered nonbinding. The company reserves the right to make changes at any time, without prior notice. LAST UPDATE: **29/4/2024**