

RANGE

Convection and Combination Ovens MI

MODEL

MSYEIOIB

FUNCTION

Direct Steam Ovens - IOx GN I/I

ITEM

Electric direct steam combi oven IO x GN I/I, featuring touch screen control panel and automatic cooking system



RANGE

Convection and Combination Ovens MI

MODEL

MSYEIOIB

FUNCTION

Direct Steam Ovens - IOx GN I/I

ITEM

Electric direct steam combi oven IO x GN I/I, featuring touch screen control panel and automatic cooking system



TECHNICAL SPECIFICATIONS

WIDTH (mm):	852
DEPTH (mm):	795
HEIGHT (mm):	1055
WEIGHT (Kg):	117
VOLUME (m ³):	0.8
EL. POWER (kW):	16
VOLTAGE:	VAC400-3N
OVEN CAPACITY:	IOx GN I/I
GN TRAY SPACING	70
OVEN TEMP. RANGE (°C):	30-270
NUMBER OF MEALS	80/150
TRAY CAPACITY EN	8
EN TRAY SPACING	90
NUMBER OF CROISSANTS	90/150
IP GRADE:	IPX5



RANGE

Convection and Combination Ovens MI

MODEL


MSYEIOIB

FUNCTION

Direct Steam Ovens - IOx GN I/I

ITEM

Electric direct steam combi oven IO x GN I/I, featuring touch screen control panel and automatic cooking system



INSTALLATION SPECIFICATIONS

(E) Electrical Connection:	VAC400-3N 50/60
(AD) Softened Water Inlet:	Ø3/4
(AD) Softened Water Inlet:	Ø3/4
(S) Output Drain:	50

