

RANGE

**Warewashers**

CODE

**CRI55O33O**

MODEL

**MLPIS4**

ITEM

**LPI-series electric warewasher**



RANGE

**Warewashers**

CODE

**CRI55O33O**

MODEL

**MLPIS4**

ITEM

**LPI-series electric warewasher**



**TECHNICAL SPECIFICATIONS**

WIDTH (mm):	<b>600</b>
DEPTH (mm):	<b>680</b>
HEIGHT (mm):	<b>850</b>
WEIGHT (Kg):	<b>68</b>
VOLUME (m <sup>3</sup> ):	<b>0.35</b>
GAS POWER (kW):	<b>0</b>
EL. POWER (kW):	<b>6.7</b>
VOLTAGE (V):	<b>400V 3N</b>
FREQUENCY (Hz):	<b>50 Hz</b>
WATER PRESSURE:	<b>200-400 kPa</b>
BASKET SIZE (mm):	<b>500X500</b>
BOILER CAPACITY (L):	<b>5.7</b>
BOILER RESISTANCE (kW):	<b>6</b>
TANK CAPACITY (L):	<b>16.5</b>
TANK RESISTANCE (kW):	<b>2.7</b>
WASHING PUMP POWER (W):	<b>650</b>
DRAIN PUMP POWER (W):	<b>25</b>
N° CYCLES:	<b>4</b>
TANK DIM. (mm):	<b>400</b>
MAX PLATE DIAMETER (mm):	<b>400</b>
GN/EN:	<b>EURONORM</b>

SEC./CYCLE	BASKETS/HOUR - 10°C	BASKETS/HOUR - 55°C
60 "	25	53
90 "	25	40
120 "	25	30
180 "	20	20



RANGE

**Warewashers**

CODE

**CRI55O33O**

MODEL

**MLPIS4**

ITEM

**LPI-series electric warewasher****DESCRIPTION**

AISI 304 stainless steel electric pot and utensil washer. High capacity on small dimensions. Versatility of use. Double-walled. Moulded tank Triple pump filter. Measure (600x400 mm). Automatic self-cleaning cycle. Baskets/hour 40/30/20/12. Washing cycles 90/120/180/300. Washing pump kW 0.65. Boiler heating element kW 6. Tank heating element kW 2.7. Total absorption kW 6.65. Tank capacity lt. 16,5. Boiler capacity lt. 5,7. Water consumption lt. 2,3. Basket size 500x500 cm. Useful height mm. 400. Maximum tray height 600x400. Standard accessories:: 1 x Stainless steel tray holder, 1 x Wide mesh plastic basket, 1 x Stainless steel spatula holder.

