

RANGE

Washers

CODE

CRI55O55O

MODEL

MLPIMAXXI

ITEM

LPI-series electric warewasher Maxxi Plus version



RANGE

Warewashers

CODE

CRI55O55O

MODEL

MLPIMAXXI

ITEM

LPI-series electric warewasher Maxxi Plus version



TECHNICAL SPECIFICATIONS

WIDTH (mm):	800
DEPTH (mm):	735
HEIGHT (mm):	1490
OPEN HEIGHT (mm):	1961
WEIGHT (Kg):	120
VOLUME (m ³):	0.87
EL. POWER (kW):	10.5
VOLTAGE (V):	400V 3N
FREQUENCY (Hz):	50 Hz
WATER PRESSURE:	200-400 kPa
BASKET SIZE (mm):	600x500
BOILER CAPACITY (L):	15
BOILER RESISTANCE (kW):	9
TANK CAPACITY (L):	42
TANK RESISTANCE (kW):	2.7
WASHING PUMP POWER (W):	1490
DRAIN PUMP POWER (W):	25
N° CYCLES:	4
MAX PLATE DIAMETER (mm):	450
GN/EN:	600x400

SEC./CYCLE	BASKETS/HOUR - 10°C	BASKETS/HOUR - 55°C
50 "	35	72
90 "	35	40
120 "	30	30
180 "	20	20



RANGE

Washers

CODE

CRI55O55O

MODEL

MLPIMAXXI

ITEM

LPI-series electric warewasher Maxxi Plus version**DESCRIPTION**

AISI 304 stainless steel electric pot and utensil washer. Measure (600x400 mm). Start/stop at hood open/close. Staged tank. Self-cleaning vertical pump. Independent wash/rinse arms. Double tank filter with drain, waste collector and pump filter. Easy access for maintenance. Anti-drip roof. Tank and boiler thermometer. In-line or corner installation. Automatic self-cleaning cycle. PLUS system for an additional rinse guarantee. Baskets/hour 72/40/30/20/12. Washing cycles 50/90/120/180/300. Washing pump kW 1.5. Boiler heating element kW 9. Tank heating element kW 2.7. Total absorption kW 10.5. Tank capacity lt. 42. Boiler capacity lt. 15. Water consumption lt. 2.6. Basket size 500x600 cm. Useful height mm. 450. Maximum tray height 600x400. Standard accessories:: 1 x Stainless steel tray holder, 1 x Wide mesh plastic basket, 1 x Stainless steel spatula holder.

