MARENO
kitchen solutions since 1922

RANGE	CODE	MODEL	FUNCTION
Self Service Free-Flow 867	**MA91896000**	**SPEAR16**	**Refrigerated display units on cabinet**

ITEM

4 GN 1/1 container refrigerated top and display on fan assisted refrigerated cupboard

MARENO ALI Group Srl Società a Socio Unico:
Via Conti Agosti , 231 - 31010 Mareno di Piave (TV)
Capitale Sociale 50.000.000,00 i.v.

The data reported in this document is to be considered non-binding. The company reserves the right to make changes at any time, without prior notice.

MARENO
kitchen solutions since 1922

RANGE	CODE	MODEL	FUNCTION
Self Service Free-Flow 867	**MA91896000**	**SPEAR16**	**Refrigerated display units on cabinet**

ITEM

4 GN 1/1 container refrigerated top and display on fan assisted refrigerated cupboard

TECHNICAL SPECIFICATIONS

WIDTH (mm):	**1600**
DEPTH (mm):	**867**
HEIGHT (mm):	**1700**
WEIGHT (Kg):	**239**
VOLUME (m^3):	**3.07**
EL. POWER (kW):	**1.45**
VOLTAGE:	**VAC230**
GAS TYPE:	**R455a**

DESCRIPTION

Display unit with refrigerated top, depth 40 mm. capacity 4 GN 1/1 containers H=25 mm. Exchangers and ventilation in the upper part to facilitate air circulation. Sliding glass doors on operator side, Plexiglas swing hatched on customer side. Stainless steel grille shelves, easily removed for cleaning, can be positioned at two different heights. Led lighting. Temperature range: +4 / +15°C, temperature adjusted using a digital electronic thermostat. Ventilated refrigerated cell, 2 GN 1/1 compartments with grille or container holders. Thermal insulation in high-density polyurethane Refrigerating unit with air condensation. Digital electronic thermostatic control, 1 per shelf and 1 per cell, adjustable to 0 a +8°C, luminous main switch. Cell humidity control, automatic defrosting control. AISI 304 stainless steel structure. Top with rounded edges, 15/10 thick, height 60 mm. Internal compartment with radiused corners for easy cleaning. Stainless steel leveling feet. Supplied with front panels.

MARENO
kitchen solutions since 1922

RANGE	CODE	MODEL	FUNCTION
Self Service Free-Flow 867	**MA91896000**	**SPEAR16**	**Refrigerated display units on cabinet**

ITEM

4 GN 1/1 container refrigerated top and display on fan assisted refrigerated cupboard



INSTALLATION SPECIFICATIONS

(E) Electrical Connection:	VAC230 50Hz

The data reported in this document is to be considered non-binding. The company reserves the right to make changes at any time, without prior notice.