

RANGE CODE

MODEL

FUNCTION

MI - 70

ITEM

MAMC0002410

BA78ET Bain-Marie









RANGE CODE

MODEL FUNCTION

MI - 70 MAMCOO02410

BA78ET Bain-Marie

ITEM

Electric bain maire top 2 x GN 1/1



TECHNICAL SPECIFICATIONS

WIDTH (mm):		800	
DEPTH (mm):		750	
HEIGHT (mm):		250	
WEIGHT (Kg):		50	
VOLUME (m ³):		0.4	
EL. POWER (kW):		5.4	
VOLTAGE:		VAC400-3N	
COOKING ZONES N°:		1	
TANK DIM. (mm):		730x5i5xi7O(h) mm	
TANK N°:	1	CAPACITY (L):	20
		CONTAINERS MAX H:	15O mm
IP GRADE:		IPX5	
TENAD DANICE (%C).		0-90 °C	
TEMP. RANGE (°C):		0 70 0	

DESCRIPTION

Electric bain marie top in AISI 3O4 stainless steel. 2O/IO gauge worktop, without flue apertures, fitted for insertion of water column accessory. Tank in AISI 3O4 stainless steel with radiused internal corners to facilitate cleaning. Sloping tank bottom for optimum drainage of water. Size no. $2 \times GN I/I$ Designed to accommodate containers up to I5O mm deep. Armored heating elements located underneath the tank. Water temperature thermostatically controlled, with adjustment from $3O^{\circ}C$ to $9O^{\circ}C$. Safety thermostat trips in the event of activation of heating without water in the tank, manual reset. Activation of heating signalled by an orange indicator light on the control panel. Automatic water filling. Appliance equipped with vertical overflow drain. IPX5 water-resistant rating.



RANGE CODE

MODEL FUNCTION

BA78ET


MAMC0002410

Bain-Marie

ITEM

MI - 70

Electric bain maire top 2 x GN 1/1



INSTALLATION SPECIFICATIONS

(E) Electrical Connection:	VAC400-3N 50/60Hz
(AF) Cold Water Inlet:	Ø I/2"
(S) Output Drain:	Ø 1/2"

