

RANGE	CODE	MODEL	FUNCTION
MI - 110	MAMCOO11030	PC118GG	Gas Ranges

ITEM

Pass through 4 gas burner boiling top on open stand



RANGE	CODE	MODEL	FUNCTION
MI - 110	MAMCOO11030	PC118GG	Gas Ranges

ITEM

Pass through 4 gas burner boiling top on open stand



TECHNICAL SPECIFICATIONS

WIDTH (mm):	800
DEPTH (mm):	1100
HEIGHT (mm):	900
WEIGHT (Kg):	76
VOLUME (m ³):	0.99
GAS POWER (kW):	32
INTERNAL BASE UNIT DIM. (mm):	740x1000x390(h)
COOKING ZONES N°:	4
COOKING ZONE DETAILS:	2 x 6 kW - 2 x 10 kW

DESCRIPTION


Pass-through, freestanding gas boiling top, on open cabinet base, in AISI 304 stainless steel. 20/10 pressed steel top with anti-spill front edge, designed for flush alignment with hermetic seal supplied. Appliance comprising 4 main burners hermetically sealed to the top, 2 of which with maximum output of 6 kW and 2 with output of 10 kW. Ergonomic knobs shaped to prevent water infiltration. Output control from 1.6 to 6 kW and from 2.5 to 10 kW respectively, by means of a valve with safety thermocouple. Main burner ignition by means of permanent low-energy pilot burner (170 W). Pilot burner and thermocouple are located underneath the main burner body, protected from accidental impact and spills. Boiling top with heavy duty pan stands in RAAF enamelled cast-iron (acid, alkali and flame resistant); the pan stands are compatible with both small and large pans. Appliance equipped with stainless steel adjustable feet.



RANGE	CODE	MODEL	FUNCTION
MI - 110	MAMCOO11030	PC118GG	Gas Ranges

ITEM

Pass through 4 gas burner boiling top on open stand



INSTALLATION SPECIFICATIONS

(G) Gas Inlet: $\text{Ø}1/2''$

