

RANGE	CODE	MODEL	FUNCTION
MI - 110	MAMCOO11040	PCI18GFG	Gas Ranges

ITEM

Pass through 4 gas burner gas oven range



RANGE	CODE	MODEL	FUNCTION
MI - 110	MAMCOO11040	PCI18GFG	Gas Ranges

ITEM

Pass through 4 gas burner gas oven range



TECHNICAL SPECIFICATIONS

WIDTH (mm):	800
DEPTH (mm):	1100
HEIGHT (mm):	900
WEIGHT (Kg):	197
VOLUME (m ³):	0.99
GAS POWER (kW):	43
INTERNAL OVEN DIM. (mm):	539x1018x292h
OVEN CAPACITY:	6x GNI/1
OVEN POWER (kW):	11
COOKING ZONES N°:	4
COOKING ZONE DETAILS:	2 x 6 kW - 2 x 10 kW
OVEN TEMP. RANGE (°C):	0-300

DESCRIPTION


Pass-through, freestanding gas boiling top on gas oven in AISI 304 stainless steel. 20/10 pressed steel top with anti-spill front edge, designed for flush alignment with hermetic seal supplied. Appliance comprising 4 main burners hermetically sealed to the top, 2 of which with maximum output of 6 kW and 2 with output of 10 kW. Ergonomic knobs shaped to prevent water infiltration. Output control from 1.6 to 6 kW and from 2.5 to 10 kW respectively by means of a valve with safety thermocouple. Main burner ignition by means of permanent low-energy pilot burner (170 W). Pilot burner and thermocouple are located underneath the main burner body, protected from accidental impact and spills. Boiling top with heavy duty pan stands in RAAF enamelled cast-iron (acid, alkali and flame resistant); the pan stands are compatible with both small and large pans. GN 2/1 gas oven with thermostatic control valve providing temperature adjustment from 50°C to 300°C. Stabilised flame burner complete with pilot flame with piezoelectric ignition and safety thermocouple. Stainless steel oven chamber, dimensions 539x1018x292h mm. Oven power 8 kW. Heavy gauge enamelled steel oven bottom. Pressed stainless steel oven inner door with labyrinth seal. Appliance equipped with stainless steel adjustable feet.



RANGE	CODE	MODEL	FUNCTION
MI - IIO	MAMCOO11040	PCI18GFG	Gas Ranges

ITEM

Pass through 4 gas burner gas oven range



INSTALLATION SPECIFICATIONS

(G) Gas Inlet:

Ø1/2"

