

RANGE	CODE	MODEL	FUNCTION
MI - IIO	MAMCOOII26O	BAII4EG	Bain-Marie

ITEM

Pass through electric bain maire top on open stand



RANGE	CODE	MODEL	FUNCTION
MI - 110	MAMCOO11260	BA114EG	Bain-Marie

ITEM

Pass through electric bain maire top on open stand



TECHNICAL SPECIFICATIONS

WIDTH (mm):	400		
DEPTH (mm):	1100		
HEIGHT (mm):	900		
WEIGHT (Kg):	38		
VOLUME (m ³):	0.5		
EL. POWER (kW):	1.8		
VOLTAGE:	VAC230		
INTERNAL BASE UNIT DIM. (mm):	340x1000x390(h)		
COOKING ZONES N°:	1		
COOKING ZONE DETAILS:	1 x 2,2 kW		
TANK DIM. (mm):	1 x GNI/1 + 1/3 h150		
TANK N°:	1	CAPACITY (L):	9,5
CONTAINERS MAX N°:	4x GNI/3	CONTAINERS MAX H:	max h150mm
IP GRADE:	IPX5		
TEMP. RANGE (°C):	30-90		

DESCRIPTION


Pass-through, freestanding electric bain-marie on open cabinet base, in AISI 304 stainless steel. 20/10 gauge worktop, without flue apertures. Tank in AISI 304 stainless steel with radiused internal corners to facilitate cleaning. Sloping tank bottom for optimum drainage of water. Dimensions no.2 x GN 1/1+1/3. Designed to accommodate containers up to 150 mm deep. Armored heating elements located underneath the tank. Water temperature thermostatically controlled, with adjustment from 30°C to 90°C. Safety thermostat trips in the event of activation of heating without water in the tank, manual reset. Activation of heating signalled by an orange indicator light on the control panel. Automatic water filling. Appliance equipped with vertical overflow drain. IPX5 water-resistant rating. Appliance equipped with stainless steel adjustable feet.



RANGE	CODE	MODEL	FUNCTION
MI - IIO	MAMCOOII260	BAII4EG	Bain-Marie

ITEM

Pass through electric bain maire top on open stand



INSTALLATION SPECIFICATIONS

(E) Electrical Connection:	VAC230 50/60Hz
(AF) Cold Water Inlet:	Ø1/2-H=670mm
(S) Output Drain:	Ø3/4"

