

| RANGE | CODE | MODEL | FUNCTION |
|----------|-------------|---------|----------|
| MI - 110 | MAMCOO11240 | GRI18EG | Grills |

ITEM

Electric chargrill 800 mm width top on open stand



| | | | |
|----------|-------------|---------|----------|
| RANGE | CODE | MODEL | FUNCTION |
| MI - 110 | MAMCOO11240 | GRI18EG | Grills |

ITEM

Electric chargrill 800 mm width top on open stand



TECHNICAL SPECIFICATIONS

| | |
|-------------------------------|-----------------|
| WIDTH (mm): | 800 |
| DEPTH (mm): | 1100 |
| HEIGHT (mm): | 900 |
| WEIGHT (Kg): | 62 |
| VOLUME (m ³): | 0.99 |
| EL. POWER (kW): | 10 |
| VOLTAGE: | VAC400 3N |
| INTERNAL BASE UNIT DIM. (mm): | 740x1000x390(h) |
| COOKING ZONES N°: | 2 |
| COOKING ZONES DIM. (mm): | 545x640 |
| COOKING ZONE DETAILS: | 2 x 5 kW |
| IP GRADE: | IPX5 |

DESCRIPTION


Freestanding electric grill on open cabinet base, in AISI 304 stainless steel. 20/10 pressed steel top with anti-spill front edge, designed for flush alignment with hermetic seal supplied. Direct cooking by contact with armoured heating elements. Underlying water container to impart the correct moisture level to meat and collect cooking fat. Energy regulator to control heating shaped to prevent water infiltration, equipped with integral indicator lights for instant recognition of heating and correct operation of the appliance. Heat control with energy regulator with 5 cooking settings plus "Clean" setting to clean the cooking surface. Safety thermostat with manual reset: trips in overtemperature conditions. IPX5 water-resistant rating. Appliance equipped with stainless steel adjustable feet.



| RANGE | CODE | MODEL | FUNCTION |
|----------|-------------|---------|----------|
| MI - IIO | MAMCOOII240 | GRII8EG | Grills |

ITEM

Electric chargrill 800 mm width top on open stand



INSTALLATION SPECIFICATIONS

(E) Electrical Connection: **VAC400 3N 50Hz**

