

RANGE	CODE	MODEL	FUNCTION
MI - 90	MAMCOOIO970	CP98GE	Pasta Cookers

ITEM

**Double well electrified gas pasta cooker, 42+42 litre water capacity**



RANGE	CODE	MODEL	FUNCTION
MI - 90	MAMCOOIO970	CP98GE	Pasta Cookers

ITEM

**Double well electrified gas pasta cooker, 42+42 litre water capacity**



**TECHNICAL SPECIFICATIONS**

WIDTH (mm):	800		
DEPTH (mm):	920		
HEIGHT (mm):	900		
WEIGHT (Kg):	89		
VOLUME (m <sup>3</sup> ):	1		
GAS POWER (kW):	28		
EL. POWER (kW):	0.1		
VOLTAGE:	VAC230-1		
COOKING ZONES N°:	2		
COOKING ZONE DETAILS:	2x 14kW		
TANK DIM. (mm):	305x510x285(h)mm		
TANK N°:	2	CAPACITY (L):	2x 42L
TEMP. RANGE (°C):	0-100		

**DESCRIPTION**


Freestanding gas pasta cooker in AISI 304 stainless steel. 20/10 pressed steel top with anti-spill front edge and tank perimeter well with wide expansion zone for foam. Top designed for flush alignment with hermetic seal supplied. Deep drawn tanks in AISI 316 polished stainless steel with radiused bottom for ease of cleaning. Water filling via ball valve with fine flow rate adjustment. Water tap located in zone protected against accidental impact. Heating by means of stabilised flame steel burners with pilot burner and safety thermocouple. Heating control knob shaped to prevent water infiltration. Gas supply controlled by safety valve with thermocouple. Heating control by gas electrified valve with fine and stepless adjustment of output for more effective boiling control. Tank capacity 42+42 litres. Tank dimensions: 305x510x285h mm. Water drainage by means of tap located on the front panel. Safety guaranteed by pressure switch that prevents heating if tank is empty. Appliance equipped with stainless steel adjustable feet.



RANGE	CODE	MODEL	FUNCTION
MI - 90	MAMCOOIO970	CP98GE	Pasta Cookers

ITEM

**Double well electrified gas pasta cooker, 42+42 litre water capacity**



**INSTALLATION SPECIFICATIONS**

(E) Electrical Connection:	VAC230-I 50/60 Hz
(G) Gas Inlet:	Ø1/2"
(AF) Cold Water Inlet:	Ø3/4-H=100mm.
(S) Output Drain:	Ø1"

