

| RANGE   | CODE      | MODEL       | FUNCTION                    |
|---------|-----------|-------------|-----------------------------|
| MO - 70 | CRI307280 | NEFT78GMVG# | Griddles - Mild steel Plate |

ITEM

Gas griddle top with 2/3 smooth and 1/3 ribbed plate on open stand




| RANGE   | CODE      | MODEL       | FUNCTION                    |
|---------|-----------|-------------|-----------------------------|
| MO - 70 | CRI3O728O | NEFT78GMVG# | Griddles - Mild steel Plate |

#### ITEM

Gas griddle top with 2/3 smooth and 1/3 ribbed plate on open stand

#### DETAILS



|         |           |             |                             |
|---------|-----------|-------------|-----------------------------|
| RANGE   | CODE      | MODEL       | FUNCTION                    |
| MO - 70 | CRI3O728O | NEFT78GMVG# | Griddles - Mild steel Plate |

#### ITEM

**Gas griddle top with 2/3 smooth and 1/3 ribbed plate on open stand**



#### TECHNICAL SPECIFICATIONS

|                               |                                            |
|-------------------------------|--------------------------------------------|
| WIDTH (mm):                   | 800                                        |
| DEPTH (mm):                   | 700                                        |
| HEIGHT (mm):                  | 870                                        |
| WEIGHT (Kg):                  | 95                                         |
| VOLUME (m <sup>3</sup> ):     | 0.8                                        |
| GAS POWER (kW):               | 12.5                                       |
| INTERNAL BASE UNIT DIM. (mm): | 760x560x340(h)                             |
| COOKING ZONES N°:             | 2                                          |
| COOKING ZONES DIM. (mm):      | 796x555mm                                  |
| COOKING ZONE DETAILS:         | 2x 6.25kW                                  |
| PRODUCT SPECIFICATIONS:       | 2/3 Smooth, 1/3 Ribbed Inox AISI 430 Plate |
| TEMP. RANGE (°C):             | 0-350 °C                                   |

#### DESCRIPTION


Gas griddle on open base unit with 2/3 smooth and 1/3 ribbed mild steel plate on open base unit . Equipped with splash guard on three sides and a front drain channel to collect cooking liquids/fats towards a removable tray located under the cooking plate into the open base unit. Two independent cooking zones. Heating by tubular steel burners complete with pilot burner and safety thermocouple. Gas supply controlled by means of a valved tap. Cooking surface 79.6x55.5 cm. Plate cleaning scraper supplied. Open base unit made of stainless steel. Height-adjustable feet in stainless steel.



| RANGE   | CODE      | MODEL       | FUNCTION                    |
|---------|-----------|-------------|-----------------------------|
| MO - 70 | CRI307280 | NEFT78GMVG# | Griddles - Mild steel Plate |

#### ITEM

Gas griddle top with 2/3 smooth and 1/3 ribbed plate on open stand



#### INSTALLATION SPECIFICATIONS

(G) Gas Inlet:  $\varnothing 1/2"$

