

RANGE	CODE	MODEL	FUNCTION
MO - 70	CR1307290	NEFT74ELVG#	Griddles - Mild steel Plate

ITEM

Electric griddle top with smooth plate on open stand




RANGE	CODE	MODEL	FUNCTION
MO - 70	CR1307290	NEFT74ELVG#	Griddles - Mild steel Plate

ITEM

Electric griddle top with smooth plate on open stand

DETAILS



RANGE	CODE	MODEL	FUNCTION
MO - 70	CR1307290	NEFT74ELVG#	Griddles - Mild steel Plate

ITEM

Electric griddle top with smooth plate on open stand



TECHNICAL SPECIFICATIONS

WIDTH (mm):	400
DEPTH (mm):	700
HEIGHT (mm):	870
WEIGHT (Kg):	50
VOLUME (m ³):	0.4
EL. POWER (kW):	3.9
VOLTAGE:	380-415 V 3N
INTERNAL BASE UNIT DIM. (mm):	360x560x340(h)
COOKING ZONES N°:	1
COOKING ZONES DIM. (mm):	396x555mm
COOKING ZONE DETAILS:	1x 3.9kW
PRODUCT SPECIFICATIONS:	Smooth Inox AISI 430 Plate
IP GRADE:	IPX4
TEMP. RANGE (°C):	0-280 °C

DESCRIPTION


Electric griddle with smooth mild steel plate on open base unit, made of stainless steel. Equipped with splash guard on three sides and a front drain channel to collect cooking liquids/fats towards a removable tray located under the cooking plate into the open base unit. Heating by armored heating elements positioned under the plate. One cooking zone controlled by an adjustable thermostat from 0 °C to 300 °C. Manual reset safety thermostat. Cooking surface 39.6x55.5 cm. Plate-cleaning scraper supplied. Open base unit made of stainless steel. Height-adjustable feet in stainless steel.



RANGE	CODE	MODEL	FUNCTION
MO - 70	CR1307290	NEFT74ELVG#	Griddles - Mild steel Plate

ITEM

Electric griddle top with smooth plate on open stand



INSTALLATION SPECIFICATIONS

(E) Electrical Connection: **380-415 V 3N 50-60Hz**

