

RANGE	CODE	MODEL	FUNCTION
MO - 70	CRI3O731O	NEFT78ELVG#	Griddles - Mild steel Plate

ITEM

Electric griddle top with smooth plate on open stand




RANGE	CODE	MODEL	FUNCTION
MO - 70	CRI3O73IO	NEFT78ELVG#	Griddles - Mild steel Plate

ITEM

Electric griddle top with smooth plate on open stand

DETAILS



RANGE	CODE	MODEL	FUNCTION
MO - 70	CRI3O73IO	NEFT78ELVG#	Griddles - Mild steel Plate

ITEM

Electric griddle top with smooth plate on open stand



TECHNICAL SPECIFICATIONS

WIDTH (mm):	800
DEPTH (mm):	700
HEIGHT (mm):	870
WEIGHT (Kg):	94
VOLUME (m ³):	0.8
EL. POWER (kW):	7.8
VOLTAGE:	380-415 V 3N
INTERNAL BASE UNIT DIM. (mm):	760x560x340(h)
COOKING ZONES N°:	2
COOKING ZONES DIM. (mm):	796x555mm
COOKING ZONE DETAILS:	2x 3.9kW
PRODUCT SPECIFICATIONS:	Smooth Inox AISI 430 Plate
IP GRADE:	IPX4
TEMP. RANGE (°C):	0-280 °C

DESCRIPTION


Electric griddle with smooth plate on open base unit, made of stainless steel. Equipped with splash guard on three sides and a front drain channel to collect cooking liquids/fats towards a removable tray located under the cooking plate into the open base unit. Heating by armored heating elements positioned under the plate. Two independent cooking zones controlled by an adjustable thermostat from 0 °C to 300 °C. Manual reset safety thermostat. Cooking surface 79.6x55.5 cm. Plate-cleaning scraper supplied. Open base unit base made of stainless steel. Height-adjustable feet in stainless steel.



RANGE	CODE	MODEL	FUNCTION
MO - 70	CR13O731O	NEFT78ELVG#	Griddles - Mild steel Plate

ITEM

Electric griddle top with smooth plate on open stand



INSTALLATION SPECIFICATIONS

(E) Electrical Connection: **380-415 V 3N 50-60Hz**

