

| RANGE   | CODE      | MODEL       | FUNCTION                    |
|---------|-----------|-------------|-----------------------------|
| MO - 70 | CRI307320 | NEFT78EMVG# | Griddles - Mild steel Plate |

ITEM

Electric griddle top with 2/3 smooth and 1/3 ribbed plate on open stand




| RANGE   | CODE      | MODEL       | FUNCTION                    |
|---------|-----------|-------------|-----------------------------|
| MO - 70 | CRI3O732O | NEFT78EMVG# | Griddles - Mild steel Plate |

#### ITEM

Electric griddle top with 2/3 smooth and 1/3 ribbed plate on open stand

#### DETAILS



|         |           |             |                             |
|---------|-----------|-------------|-----------------------------|
| RANGE   | CODE      | MODEL       | FUNCTION                    |
| MO - 70 | CRI3O732O | NEFT78EMVG# | Griddles - Mild steel Plate |

#### ITEM

**Electric griddle top with 2/3 smooth and 1/3 ribbed plate on open stand**



#### TECHNICAL SPECIFICATIONS

|                               |                                            |
|-------------------------------|--------------------------------------------|
| WIDTH (mm):                   | 800                                        |
| DEPTH (mm):                   | 700                                        |
| HEIGHT (mm):                  | 870                                        |
| WEIGHT (Kg):                  | 93                                         |
| VOLUME (m <sup>3</sup> ):     | 0.8                                        |
| EL. POWER (kW):               | 7.8                                        |
| VOLTAGE:                      | 380-415 V 3N                               |
| INTERNAL BASE UNIT DIM. (mm): | 760x560x340(h)                             |
| COOKING ZONES N°:             | 2                                          |
| COOKING ZONES DIM. (mm):      | 796x555mm                                  |
| COOKING ZONE DETAILS:         | 2x 3.9kW                                   |
| PRODUCT SPECIFICATIONS:       | 2/3 Smooth, 1/3 Ribbed Inox AISI 430 Plate |
| IP GRADE:                     | IPX4                                       |
| TEMP. RANGE (°C):             | 0-280 °C                                   |

#### DESCRIPTION


Electric griddle on open base unit with 2/3 smooth 1/3 ribbed mild steel plate, made of stainless steel. Equipped with splash guard on three sides and a front drain channel to collect cooking liquids/fats towards a removable tray located under the cooking plate into the open base unit. Heating by armored heating elements positioned under the plate. Two independent cooking zones controlled by an adjustable thermostat from 0 °C to 300 °C. Manual reset safety thermostat. Cooking surface 79.6x55.5 cm. Plate-cleaning scraper supplied. Open base unit base made of stainless steel. Height-adjustable feet in stainless steel.



**Electric griddle top with 2/3 smooth and 1/3 ribbed plate on open stand**



(E) Electrical Connection: 380-415 V 3N 50-60Hz



The data reported in this document is to be considered non-binding. The company reserves the right to make changes at any time, without prior notice.

LAST UPDATE:

**24/7/2025**