

MI - 90	MAMC0002960	PC94GT	Gas Ranges
RANGE	CODE	MODEL	FUNCTION

ITEM

2 gas burner boiling top





The data reported in this document is to be considered nonbinding. The company reserves the right to make changes at any time, without prior notice. LAST UPDATE: **30/4/2024**



RANGE	CODE	MODEL	FUNCTION
MI - 90	MAMC0002960	PC94GT	Gas Ranges

ITEM

2 gas burner boiling top



TECHNICAL SPECIFICATIONS

WIDTH (mm):	400
DEPTH (mm):	920
HEIGHT (mm):	250
WEIGHT (Kg):	34
VOLUME (m ³):	O.25
GAS POWER (kW):	16
COOKING ZONES N°:	2

DESCRIPTION

Gas boiling top in AISI 3O4 stainless steel. 20/IO pressed steel top with anti-spill front edge, designed for flush alignment with hermetic seal supplied. Top designed to accommodate water column accessory. Appliance comprising 2 main burners hermetically sealed to the top with maximum output of 6 and IO kW. Ergonomic knobs shaped to prevent water infiltration. Output control from 2.5 to IO kW by means of valve with safety thermocouple. Main burner ignition by means of permanent low-energy pilot burner (I7O W). Pilot burner and thermocouple are located underneath the main burner body, protected from accidental impact and spills. Boiling top with heavy duty pan stands in RAAF enamelled cast-iron (acid, alkali and flame resistant); the pan stands are compatible with both small and large pans. IPX5 water-resistant rating.




The data reported in this document is to be considered nonbinding. The company reserves the right to make changes at any time, without prior notice. LAST UPDATE: **30/4/2024**



MI - 90	MAMC0002960	PC94GT	Gas Ranges
RANGE	CODE	MODEL	FUNCTION

ITEM

2 gas burner boiling top



INSTALLATION SPECIFICATIONS

(G) Gas Inlet:

Ø1/2''



The data reported in this document is to be considered nonbinding. The company reserves the right to make changes at any time, without prior notice. LAST UPDATE: **30/4/2024**