

RANGE CODE

MODEL

FUNCTION

MI - 90

MAMC0003040

PC912GG

Gas Ranges

ITEM

6 gas burner boiling top on open stand







RANGE CODE

MODEL FUNCTION

PC912GG

MI - 90

MAMC0003040

Gas Ranges

ITEM

6 gas burner boiling top on open stand



TECHNICAL SPECIFICATIONS

WIDTH (mm):	1200
DEPTH (mm):	920
HEIGHT (mm):	900
WEIGHT (Kg):	127
VOLUME (m ³):	1.5
GAS POWER (kW):	48
INTERNAL BASE UNIT DIM. (mm):	1080x400(h)x900 mm
COOKING ZONES N°:	6

DESCRIPTION

Freestanding gas boiling top, on open cabinet base, in AISI 3O4 stainless steel. 2O/IO pressed steel top with anti-spill front edge, designed for flush alignment with hermetic seal supplied. Top designed to accommodate water column accessory. Appliance comprising 6 main burners hermetically sealed to the top, 3 of which with maximum output of 6 kW, 3 with IO kW output. Ergonomic knobs shaped to prevent water infiltration. Output control from I.6 to 6 kW and from 2.5 to IO kW respectively, by means of a valve with safety thermocouple. Main burner ignition by means of permanent low-energy pilot burner (I7O W). Pilot burner and thermocouple are located underneath the main burner body, protected from accidental impact and spills. Boiling top with heavy duty pan stands in RAAF enamelled cast-iron (acid, alkali and flame resistant); the pan stands are compatible with both small and large pans. IPX5 water-resistant rating. Appliance equipped with stainless steel adjustable feet.



RANGE

CODE

MODEL

FUNCTION

MI - 90


MAMC0003040


PC912GG


Gas Ranges

ITEM

6 gas burner boiling top on open stand







INSTALLATION SPECIFICATIONS

(G) Gas Inlet: Ø1/2"

