

RANGE	CODE	MODEL	FUNCTION
MI - 90	MAMCOOO3O80	PC9I2GFGM	Gas Ranges

ITEM

6 gas burner gas maxi oven range



RANGE	CODE	MODEL	FUNCTION
MI - 90	MAMCOOO3080	PC912GFGM	Gas Ranges

ITEM

6 gas burner gas maxi oven range



TECHNICAL SPECIFICATIONS

WIDTH (mm):	1200
DEPTH (mm):	920
HEIGHT (mm):	900
WEIGHT (Kg):	220
VOLUME (m ³):	1.5
GAS POWER (kW):	60
INTERNAL OVEN DIM. (mm):	975x695x390(h) mm
OVEN CAPACITY:	2x 930x620
OVEN POWER (kW):	12
COOKING ZONES N°:	6
COOKING ZONE DETAILS:	3x 6kW 3x 10kW
OVEN TEMP. RANGE (°C):	0-330

DESCRIPTION


Freestanding gas boiling top on gas maxi oven in AISI 304 stainless steel. 20/10 pressed steel top with anti-spill front edge, designed for flush alignment with hermetic seal supplied. Top designed to accommodate water column accessory. Appliance comprising 6 main burners hermetically sealed to the top, 3 of which with maximum output of 6 kW, 3 with 10 kW output. Ergonomic knobs shaped to prevent water infiltration. Output control from 1.6 to 6 kW by means of valve with safety thermocouple. Main burner ignition by means of permanent low-energy pilot burner (170 W). Pilot burner and thermocouple are located underneath the main burner body, protected from accidental impact and spills. Boiling top with heavy duty pan stands in RAAF enamelled cast-iron (acid, alkali and flame resistant); the pan stands are compatible with both small and large pans. GN 2/1 gas maxi oven with thermostatic control valve providing temperature adjustment from 100°C to 330°C. Stabilised flame burner complete with pilot flame with piezoelectric ignition and safety thermocouple. Stainless steel oven chamber, dimensions 975x695x390h mm. Maxi oven power: 12 kW. Heavy gauge enamelled steel oven bottom. Pressed stainless steel oven inner door with labyrinth seal. IPX5 water-resistant rating. Appliance equipped with stainless steel adjustable feet.



RANGE	CODE	MODEL	FUNCTION
MI - 90	MAMCOOO3O80	PC9I2GFGM	Gas Ranges

ITEM

6 gas burner gas maxi oven range



INSTALLATION SPECIFICATIONS

(G) Gas Inlet: $\text{Ø}1/2''$

