

MI - 90	MAMCOOO3380	CI94ET	Induction Ranges
RANGE	CODE	MODEL	FUNCTION

ITEM

2 zone induction top



The data reported in this document is to be considered nonbinding. The company reserves the right to make changes at any time, without prior notice.



MI - 90	MAMCOOO3380	CI94ET	Induction Ranges
RANGE	CODE	MODEL	FUNCTION

ITEM

## 2 zone induction top



TECHNICAL SPECIFICATIONS					
WIDTH (mm):	400				
DEPTH (mm):	920				
HEIGHT (mm):	250				
WEIGHT (Kg):	44				
VOLUME (m <sup>3</sup> ):	O.25				
EL. POWER (kW):	10				
VOLTAGE:	VAC400-3				
COOKING ZONES N°:	2				
COOKING ZONES DIM. (mm):	2x Ø28Omm				
IP GRADE:	IPX5				

## DESCRIPTION

Induction boiling top in AISI 3O4 stainless steel. 20/IO pressed steel top with anti-spill front edge, designed for flush alignment with hermetic seal supplied. Top designed to accommodate water column accessory. 6 mm thick glass ceramic cooking surface hermetically sealed to the top and designed to create 2 independent cooking zones, each with underlying 5 kW Ø 280 mm round inductors. Pan detection system that activates heating when cooking receptacle is present. The cooking zones are identified by screen printed markings and equipped with residual heat indicators. IO-position energy selector for heat control with shape designed to prevent water infiltration, equipped with integral indicator lights for instant recognition of heating and correct operation of the appliance. Integral power-box complete with main safety sensor. IPX5 water-resistant rating.




The data reported in this document is to be considered nonbinding. The company reserves the right to make changes at any time, without prior notice. LAST UPDATE: **30/4/2024** 



MI - 90	MAMCOOO3380	CI94ET	Induction Ranges
RANGE	CODE	MODEL	FUNCTION

ITEM

2 zone induction top



## INSTALLATION SPECIFICATIONS

(E) Electrical Connection:

VAC400-3 50Hz



The data reported in this document is to be considered nonbinding. The company reserves the right to make changes at any time, without prior notice. LAST UPDATE: 30/4/2024