

RANGE	CODE	MODEL	FUNCTION
MI - 90	MAMC0004240	FT94ERCT	Griddles

ITEM

Electric griddle top with ribbed chromed plate





RANGE	CODE	MODEL	FUNCTION
MI - 90	MAMC0004240	FT94ERCT	Griddles

ITEM

Electric griddle top with ribbed chromed plate



TECHNICAL SPECIFICATIONS

WIDTH (mm):	400
DEPTH (mm):	920
HEIGHT (mm):	250
WEIGHT (Kg):	55
VOLUME (m ³):	0.25
EL. POWER (kW):	7.5
VOLTAGE:	VAC400-3N
COOKING ZONES N°:	1
COOKING ZONES DIM. (mm):	335x700mm
PRODUCT SPECIFICATIONS:	Ribbed Chromed Plate
IP GRADE:	IPX5
TEMP. RANGE (°C):	110-280

DESCRIPTION

Electric griddle in AISI 3O4 stainless steel. 20/IO pressed steel top with anti-spill front edge, designed for flush alignment with hermetic seal supplied. Top designed to accommodate water column accessory. Cooking surface with sloping mirror-polished chrome ribbed hotplate. Hotplate recessed 4O mm compared to worktop, fully welded construction for guaranteed ease of cleaning. Cooking surface with 65 mm cold zone at front of hotplate. Round Ø 4O mm drain hole for fat. Grease collection tub with I.5 litre capacity. Heating by means of armoured elements in Incoloy. Heat control knob shaped to prevent water infiltration, equipped with integral indicator lights for instant recognition of heating and correct operation of the appliance. Cooking temperature thermostatically controlled, with adjustment from IIO to 280 °C. Safety thermostat trips in the event of working thermostat malfunction. Cooking surface 335x7OO mm. Scraper supplied for smooth hotplate. The product complies with EC regulation 1935/2004 and Italian ministerial decree 21/O3/1973 (Materials and Objects intended to come into contact with Food) MOCA. IPX5 water-resistant rating.




The data reported in this document is to be considered nonbinding. The company reserves the right to make changes at any time, without prior notice. LAST UPDATE: **30/4/2024**



MI - 90	MAMC0004240	FT94ERCT	Griddles
RANGE	CODE	MODEL	FUNCTION

ITEM

Electric griddle top with ribbed chromed plate



INSTALLATION SPECIFICATIONS

(E) Electrical Connection:

VAC400-3N 50/60Hz



The data reported in this document is to be considered nonbinding. The company reserves the right to make changes at any time, without prior notice. LAST UPDATE: **30/4/2024**