

RANGE C

CODE

MODEL

FUNCTION

MI - 90

MAMC0004400

FT98EMCT

Griddles

ITEM

Electric griddle top with 2/3 smooth and 1/3 ribbed chromed plate





RANGE CODE

MODEL FUNCTION

MI - 90 MAMCOOO4400

FT98EMCT Griddles

ITEM

Electric griddle top with 2/3 smooth and 1/3 ribbed chromed plate



TECHNICAL SPECIFICATIONS

WIDTH (mm):	800
DEPTH (mm):	920
HEIGHT (mm):	250
WEIGHT (Kg):	115
VOLUME (m ³):	O.25
EL. POWER (kW):	15
VOLTAGE:	VAC400-3N
COOKING ZONES N°:	2
COOKING ZONES DIM. (mm):	735x7OOmm
PRODUCT SPECIFICATIONS:	2/3 Smooth, 1/3 Ribbed Chromed Plate
IP GRADE:	IPX5
TEMP. RANGE (°C):	110-280

DESCRIPTION

Electric griddle in AISI 3O4 stainless steel. 2O/IO pressed steel top with anti-spill front edge, designed for flush alignment with hermetic seal supplied. Top designed to accommodate water column accessory. Cooking surface with sloping mirror-polished hotplate, I/3 ribbed 2/3 smooth. Hotplate recessed 4O mm compared to worktop, fully welded construction for guaranteed ease of cleaning. Cooking surface with 65 mm cold zone at front of hotplate. Round Ø 4O mm drain hole for fat. Grease collection tub with I.5 litre capacity. Heating by means of armoured elements in Incoloy. Heat control knob shaped to prevent water infiltration, equipped with integral indicator lights for instant recognition of heating and correct operation of the appliance. Cooking temperature thermostatically controlled, with adjustment from IIO to 28O °C. Safety thermostat trips in the event of working thermostat malfunction. Cooking surface 735x7OO mm. Scraper supplied for smooth hotplate. The product complies with EC regulation 1935/2OO4 and Italian ministerial decree 2I/O3/1973 (Materials and Objects intended to come into contact with Food) MOCA. IPX5 water-resistant rating.





RANGE CODE

MODEL

FUNCTION

MI - 90


MAMC0004400

FT98EMCT

Griddles

ITEM

Electric griddle top with 2/3 smooth and 1/3 ribbed chromed plate



INSTALLATION SPECIFICATIONS

(E) Electrical Connection: VAC400-3N 50/60Hz

