

RANGE	CODE	MODEL	FUNCTION
MI - 70	MAMCOOOO110	PC7I2GFG	Gas Ranges

ITEM

6 gas burner gas oven range and stand with door



RANGE	CODE	MODEL	FUNCTION
MI - 70	MAMCOOOO110	PC712GFG	Gas Ranges

ITEM

**6 gas burner gas oven range and stand with door**



**TECHNICAL SPECIFICATIONS**

WIDTH (mm):	1200
DEPTH (mm):	750
HEIGHT (mm):	900
WEIGHT (Kg):	180
VOLUME (m <sup>3</sup> ):	1.2
GAS POWER (kW):	53
INTERNAL OVEN DIM. (mm):	570x490x295h mm
OVEN CAPACITY:	3x GN 2/1
OVEN POWER (kW):	8
COOKING ZONES N°:	6
COOKING ZONE DETAILS:	3x 9kW 3x 6kW
OVEN TEMP. RANGE (°C):	0-300

**DESCRIPTION**


Freestanding gas boiling top on gas oven in AISI 304 stainless steel. 20/10 pressed steel top with anti-spill front edge, designed for flush alignment with hermetic seal supplied. Top designed to accommodate water column accessory. Appliance comprising 6 main burners, maximum output 9 kW, hermetically sealed to the top. Ergonomic knobs shaped to prevent water infiltration. Output control from 1.6 to 9 kW by means of valve with safety thermocouple. Main burner ignition by means of permanent low-energy pilot burner (170 W). Pilot burner and thermocouple are located underneath the main burner body, protected from accidental impact and spills. Boiling top with heavy duty pan stands in RAAF enamelled cast-iron (acid, alkali and flame resistant); the pan stands are compatible with both small and large pans. GN 2/1 gas oven with thermostatic control valve providing temperature adjustment from 50°C to 300°C. Stabilised flame burner complete with pilot flame with piezoelectric ignition and safety thermocouple. Stainless steel oven chamber, dimensions 575x654x300h mm. Oven power 8 kW. Heavy gauge enamelled steel oven bottom. Pressed stainless steel oven inner door with labyrinth seal. IPX5 water-resistant rating. Appliance equipped with stainless steel adjustable feet. 400 mm neutral cabinet with hinged door.



RANGE	CODE	MODEL	FUNCTION
MI - 70	MAMCOOOOII0	PC7I2GFG	Gas Ranges

ITEM

6 gas burner gas oven range and stand with door



INSTALLATION SPECIFICATIONS

(G) Gas Inlet:  $\text{Ø}1/2''$

