

RANGE	CODE	MODEL	FUNCTION
MI - 70	MAMCOOOO160	PC7I2GFGM	Gas Ranges

ITEM

6 gas burner gas maxi oven range



RANGE	CODE	MODEL	FUNCTION
MI - 70	MAMCOOOO160	PC7I2GFGM	Gas Ranges

ITEM

6 gas burner gas maxi oven range



TECHNICAL SPECIFICATIONS

WIDTH (mm):	1200
DEPTH (mm):	750
HEIGHT (mm):	900
WEIGHT (Kg):	180
VOLUME (m ³):	1.2
GAS POWER (kW):	55
INTERNAL OVEN DIM. (mm):	975x641x390h mm
OVEN CAPACITY:	4x GN 2/1
OVEN POWER (kW):	10
COOKING ZONES N°:	6
COOKING ZONE DETAILS:	3x 9kW 3x 6kW
OVEN TEMP. RANGE (°C):	0-300

DESCRIPTION


Freestanding gas boiling top on gas maxi oven in AISI 304 stainless steel. 20/10 pressed steel top with anti-spill front edge, designed for flush alignment with hermetic seal supplied. Top designed to accommodate water column accessory. Appliance comprising 6 main burners, maximum output 9 kW, hermetically sealed to the top. Ergonomic knobs shaped to prevent water infiltration. Output control from 1.6 to 9 kW by means of valve with safety thermocouple. Main burner ignition by means of permanent low-energy pilot burner (170 W). Pilot burner and thermocouple are located underneath the main burner body, protected from accidental impact and spills. Boiling top with heavy duty pan stands in RAAF enamelled cast-iron (acid, alkali and flame resistant); the pan stands are compatible with both small and large pans. GN 2/1 gas oven with thermostatic control valve providing temperature adjustment from 100°C to 330°C. Stabilised flame burner complete with pilot flame with piezoelectric ignition and safety thermocouple. Stainless steel oven chamber, dimensions 975x641x390h mm. Maxi oven power: 10 kW. Heavy gauge enamelled steel oven bottom. Pressed stainless steel oven inner door with labyrinth seal. IPX5 water-resistant rating. Appliance equipped with stainless steel adjustable feet.



RANGE	CODE	MODEL	FUNCTION
MI - 70	MAMCOOOO160	PC7I2GFGM	Gas Ranges

ITEM

6 gas burner gas maxi oven range



INSTALLATION SPECIFICATIONS

(G) Gas Inlet: $\text{Ø}1/2''$

