

RANGE	CODE	MODEL	FUNCTION
MI - 90	MAMCOOO3620	IFR94G23KA	i-Fry

ITEM

Single pan gas fryer 23 litres with electronic controls and automatic basket lifting



RANGE	CODE	MODEL	FUNCTION
MI - 90	MAMCOOO3620	IFR94G23KA	i-Fry

ITEM

Single pan gas fryer 23 litres with electronic controls and automatic basket lifting



TECHNICAL SPECIFICATIONS

WIDTH (mm):	400		
DEPTH (mm):	920		
HEIGHT (mm):	900		
WEIGHT (Kg):	84		
VOLUME (m ³):	0.6		
GAS POWER (kW):	25		
EL. POWER (kW):	0.2		
VOLTAGE:	VAC230-1		
COOKING ZONES N°:	1		
COOKING ZONE DETAILS:	1x 25kW		
TANK N°:	1	CAPACITY (L):	23
IP GRADE:	IPX5		
TEMP. RANGE (°C):	0-180		

DESCRIPTION


Freestanding gas fryer on cabinet base with electronic temperature control, high productivity, in AISI 304 stainless steel. 20/10 gauge flush alignment top with 300 mm flue splashback. Pressed AISI 304 stainless steel cooking tank, with radiused internal profile. Tank capacity 23 litres. Tanks with wide front expansion zone for oil and foam and extended cold zone for collection of food particles. Heating by means of 2 stainless steel burners with optimised flame distribution, positioned outside the tank. Main burners automatic ignition by means of electronic flame controller, without permanently lit pilot burner. Output modulation to optimise heating and efficiency. Automatic cooking function to guarantee high quality fried products. The operator select one of the 30 available programs to choose the type, quantity, and storage temperature of the product to be fried. The electronic system automatically adapts the cooking cycle, making the necessary compensation according to the selection made. Control panel with 7-inch high-resolution Touch Screen with electronic control board for cooking temperature control from 0 to 185°C with accuracy of ± 1°C. Management HACCP alarms, tank cleaning cycle, preheating function, maintenance at 100°C, and system diagnostics. Manual reset safety thermostat. System for automatic and programmable lifting for cooking with two 1/2 baskets. Composed of 2 straight actuators for 120 mm lift and with cooking end audible signal. Equipped with: 1 tank bottom filter; 1 chromed steel mesh to support cooking baskets; 2 chromed steel cooking baskets, size 1/2, with front handle in heatproof material; 1 tank lid; 1 extension for frontal drainage of tank. IPX5 water-resistant rating. Appliance equipped with stainless steel adjustable feet.



RANGE	CODE	MODEL	FUNCTION
MI - 90	MAMCOOO3620	IFR94G23KA	i-Fry

ITEM

Single pan gas fryer 23 litres with electronic controls and automatic basket lifting



INSTALLATION SPECIFICATIONS

(E) Electrical Connection:	VAC230-I 50/60Hz
(G) Gas Inlet:	Ø1/2"

