

RANGE	CODE	MODEL	FUNCTION
MI - 70	MAMCOOOO3IO	PC78EFEPT	Electric Cookers

ITEM

4 electric circular hotplate static electric oven range



RANGE	CODE	MODEL	FUNCTION
MI - 70	MAMCOOOO310	PC78EFEPT	Electric Cookers

ITEM

4 electric circular hotplate static electric oven range



TECHNICAL SPECIFICATIONS

WIDTH (mm):	800
DEPTH (mm):	750
HEIGHT (mm):	900
WEIGHT (Kg):	106
VOLUME (m ³):	0.8
EL. POWER (kW):	16.4
VOLTAGE:	VAC400 3N
INTERNAL OVEN DIM. (mm):	575x654x300h mm
OVEN CAPACITY:	3x GN 2/1
OVEN POWER (kW):	6 kW
COOKING ZONES N°:	4
COOKING ZONES DIM. (mm):	4 x Ø 220
IP GRADE:	IPX5
TEMP. RANGE (°C):	0-500 °C
OVEN TEMP. RANGE (°C):	0-280

DESCRIPTION


Freestanding electric boiling top, on static electric oven, in AISI 304 stainless steel. 20/10 pressed steel top with anti-spill front edge, designed for flush alignment with hermetic seal supplied. Top designed to accommodate water column accessory. Appliance composed of 4 Ø 220 mm round hotplates in cast-iron, hermetically sealed to the top, each with 2.6 kW output. Hotplates equipped with automatic reset safety thermostat which trips in the event the appliance is switched on without a pan. 7-position selector switch for heat adjustment. Indicator light to show correct operation of the appliance. Ergonomic knobs shaped to prevent water infiltration, equipped with integral indicator lights for instant recognition of operation and temperature. GN 2/1 conventional electric oven. Oven heated by independently controlled top and bottom heating elements. Thermostat control providing temperature adjustment from 110°C to 280°C. Stainless steel oven chamber, dimensions 575x654x300h mm. Heavy gauge enamelled steel oven bottom. Oven inner door in stainless steel with labyrinth seal. 4-position selector switch, safety thermostat. Indicator lights indicating correct oven operation. Oven power 6 kW. IPX5 water-resistant rating. Appliance equipped with stainless steel adjustable feet.



RANGE	CODE	MODEL	FUNCTION
MI - 70	MAMCOOOO31O	PC78EFEPT	Electric Cookers

ITEM

4 electric circular hotplate static electric oven range



INSTALLATION SPECIFICATIONS

(E) Electrical Connection: VAC400 3N 50/60Hz

